

合同编号: 2022-006-01

合同编号 HBB 2022-09

工业危险废物服务协议

甲方: 浙江景兴纸业股份有限公司 (含浙江景兴板纸有限公司) (以下简称甲方)

乙方: 嘉兴中观环保科技有限公司 (以下简称乙方)

甲方将生产过程中产生的危险废物 (详见下表) 进行无害化处置过程中的日常运作服务项目委托给乙方, 经双方友好协商后达成以下协议, 以供双方共同遵守:

合同条款:

一 协议期限: 2022 年 01 月 01 日至 2022 年 12 月 31 日

1、根据《中华人民共和国固体废物污染环境防治法》及相关规定, 甲方应负责依法向所属环保局 平湖市环保局 进行危险废物的转移申请及相关报备。

2、甲方需提供营业执照、开票资料、工艺流程、危废代码证明等相关资料, 并加盖公章, 以确保所提供资料的真实性、合法性。

3、甲方负责将危险废物收集到吨袋或吨桶等包装容器中, 分类贮存, 不得混合, 标志标识符合处置单位及环保相关法规要求。

The floor plan depicts a large, rectangular building with a complex internal layout. The plan is divided into numerous rooms, corridors, and service areas. Key features include a large central hall, several smaller rooms, and a prominent entrance area on the right side. The drawing is a black and white line drawing, showing the walls, doors, and furniture within the rooms. The overall design suggests a formal or institutional building, possibly a school or a government office.

Figure 1. The effect of the number of trials on the mean number of correct responses for the 100 trials condition. The number of correct responses was significantly higher for the 100 trials condition than for the 20 trials condition.

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher than the number of incorrect responses for all groups. The number of correct responses was significantly higher than the number of incorrect responses for all groups. The number of correct responses was significantly higher than the number of incorrect responses for all groups.

Age Group	Gender	Percentage of respondents who believe the U.S. should take action
18-29	Male	~45%
	Female	~55%
30-49	Male	~55%
	Female	~65%
50-69	Male	~70%
	Female	~80%
70+	Male	~85%
	Female	~90%

Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was significantly higher than the number of incorrect responses for all groups. The number of correct responses was significantly higher than the number of incorrect responses for all groups. The number of correct responses was significantly higher than the number of incorrect responses for all groups.

© 2004 Blackwell Publishing Ltd, *Journal of Internal Medicine* 255: 111–117

1. **Introduction**
 2. **Background**
 3. **Methodology**
 4. **Results**
 5. **Conclusion**
 6. **References**
 7. **Appendix**
 8. **Index**
 9. **Table of Contents**
 10. **Figure 1**
 11. **Figure 2**
 12. **Figure 3**
 13. **Figure 4**
 14. **Figure 5**
 15. **Figure 6**
 16. **Figure 7**
 17. **Figure 8**
 18. **Figure 9**
 19. **Figure 10**
 20. **Figure 11**
 21. **Figure 12**
 22. **Figure 13**
 23. **Figure 14**
 24. **Figure 15**
 25. **Figure 16**
 26. **Figure 17**
 27. **Figure 18**
 28. **Figure 19**
 29. **Figure 20**
 30. **Figure 21**
 31. **Figure 22**
 32. **Figure 23**
 33. **Figure 24**
 34. **Figure 25**
 35. **Figure 26**
 36. **Figure 27**
 37. **Figure 28**
 38. **Figure 29**
 39. **Figure 30**
 40. **Figure 31**
 41. **Figure 32**
 42. **Figure 33**
 43. **Figure 34**
 44. **Figure 35**
 45. **Figure 36**
 46. **Figure 37**
 47. **Figure 38**
 48. **Figure 39**
 49. **Figure 40**
 50. **Figure 41**
 51. **Figure 42**
 52. **Figure 43**
 53. **Figure 44**
 54. **Figure 45**
 55. **Figure 46**
 56. **Figure 47**
 57. **Figure 48**
 58. **Figure 49**
 59. **Figure 50**
 60. **Figure 51**
 61. **Figure 52**
 62. **Figure 53**
 63. **Figure 54**
 64. **Figure 55**
 65. **Figure 56**
 66. **Figure 57**
 67. **Figure 58**
 68. **Figure 59**
 69. **Figure 60**
 70. **Figure 61**
 71. **Figure 62**
 72. **Figure 63**
 73. **Figure 64**
 74. **Figure 65**
 75. **Figure 66**
 76. **Figure 67**
 77. **Figure 68**
 78. **Figure 69**
 79. **Figure 70**
 80. **Figure 71**
 81. **Figure 72**
 82. **Figure 73**
 83. **Figure 74**
 84. **Figure 75**
 85. **Figure 76**
 86. **Figure 77**
 87. **Figure 78**
 88. **Figure 79**
 89. **Figure 80**
 90. **Figure 81**
 91. **Figure 82**
 92. **Figure 83**
 93. **Figure 84**
 94. **Figure 85**
 95. **Figure 86**
 96. **Figure 87**
 97. **Figure 88**
 98. **Figure 89**
 99. **Figure 90**
 100. **Figure 91**
 101. **Figure 92**
 102. **Figure 93**
 103. **Figure 94**
 104. **Figure 95**
 105. **Figure 96**
 106. **Figure 97**
 107. **Figure 98**
 108. **Figure 99**
 109. **Figure 100**
 110. **Figure 101**
 111. **Figure 102**
 112. **Figure 103**
 113. **Figure 104**
 114. **Figure 105**
 115. **Figure 106**
 116. **Figure 107**
 117. **Figure 108**
 118. **Figure 109**
 119. **Figure 110**
 120. **Figure 111**
 121. **Figure 112**
 122. **Figure 113**
 123. **Figure 114**
 124. **Figure 115**
 125. **Figure 116**
 126. **Figure 117**
 127. **Figure 118**
 128. **Figure 119**
 129. **Figure 120**
 130. **Figure 121**
 131. **Figure 122**
 132. **Figure 123**
 133. **Figure 124**
 134. **Figure 125**
 135. **Figure 126**
 136. **Figure 127**
 137. **Figure 128**
 138. **Figure 129**
 139. **Figure 130**
 140. **Figure 131**
 141. **Figure 132**
 142. **Figure 133**
 143. **Figure 134**
 144. **Figure 135**
 145. **Figure 136**
 146. **Figure 137**
 147. **Figure 138**
 148. **Figure 139**
 149. **Figure 140**
 150. **Figure 141**
 151. **Figure 142**
 152. **Figure 143**
 153. **Figure 144**
 154. **Figure 145**
 155. **Figure 146**
 156. **Figure 147**
 157. **Figure 148**
 158. **Figure 149**
 159. **Figure 150**
 160. **Figure 151**
 161. **Figure 152**
 162. **Figure 153**
 163. **Figure 154**
 164. **Figure 155**
 165. **Figure 156**
 166. **Figure 157**
 167. **Figure 158**
 168. **Figure 159**
 169. **Figure 160**
 170. **Figure 161**
 171. **Figure 162**
 172. **Figure 163**
 173. **Figure 164**
 174. **Figure 165**
 175. **Figure 166**
 176. **Figure 167**
 177. **Figure 168**
 178. **Figure 169**
 179. **Figure 170**
 180. **Figure 171**
 181. **Figure 172**
 182. **Figure 173**
 183. **Figure 174**
 184. **Figure 175**
 185. **Figure 176**
 186. **Figure 177**
 187. **Figure 178**
 188. **Figure 179**
 189. **Figure 180**
 190. **Figure 181**
 191. **Figure 182**
 192. **Figure 183**
 193. **Figure 184**
 194. **Figure 185**
 195. **Figure 186**
 196. **Figure 187**
 197. **Figure 188**
 198. **Figure 189**
 199. **Figure 190**
 200. **Figure 191**
 201. **Figure 192**
 202. **Figure 193**
 203. **Figure 194**
 204. **Figure 195**
 205. **Figure 196**
 206. **Figure 197**
 207. **Figure 198**
 208. **Figure 199**
 209. **Figure 200**
 210. **Figure 201**
 211. **Figure 202**
 212. **Figure 203**
 213. **Figure 204**
 214. **Figure 205**
 215. **Figure 206**
 216. **Figure 207**
 217. **Figure 208**

[illegible]

Figure 1. The effect of the number of nodes on the number of iterations required to reach the optimal solution. The number of iterations required to reach the optimal solution increases as the number of nodes increases. The number of iterations required to reach the optimal solution is approximately 1000 for 10 nodes, 2000 for 20 nodes, 4000 for 40 nodes, 8000 for 80 nodes, 16000 for 160 nodes, and 32000 for 320 nodes.

THE UNIVERSITY OF CHICAGO

嘉兴中观环保科技有限公司

Jiaxing zhongguan Environment protection technology co. LTD

税号: 9133 0402 MA29 GBDC 7K

地址: 嘉兴市总部商务花园五期

电话: 0573-82666666

手机: 13905738266

邮箱: 13905738266@163.com

网址: www.jzxzhongguan.com

邮编: 314000

传真: 0573-82666666

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

邮编: 314000

